TOSHIBA

E-STUDIO408P

Product brochure

- Reliable A4 monochrome printers to boost the efficiency of small and medium sized businesses or workgroups.
- High quality printing on a broad range of media at speeds of up to 40/47 pages per minute respectively.
- Designed with low energy consumption, helping to save money and valuable resources.





READY WHEN YOU ARE

For day-to-day business, you need a printer you can rely on, which delivers impeccable document output every time you print. Toshiba's e-STUDIO408P and e-STUDIO478P offer just that. With a print speed of 40 and 47 pages per minute (ppm) respectively and a fast first print output time, these productive printers are ready when you need them.

Compatible with most operating systems the printers are easy to install and even easier to use. Thanks to their network capability and their mobile printing features the e-STUDIO408P and e-STUDIO478P are ideal for small- and medium-sized businesses and workgroups. And if needed, they can grow with your needs, e.g. by adding additional paper sources to increase the capacity. For more advanced functionality the e-STUDIO478P comes with a large range of further options which will enhance your efficiency even more.

High-level security features are of course standard for the e-STUDIO408P and e-STUDIO478P and protect the devices from unauthorised access.



CONFIGURATION



SPECIFICATIONS

e-STUDIO408p

General

Print Speed 40 ppm

Warm-up Time Approx. 9 seconds (from sleep mode) Paper Size & Weight A6-A4/custom, 60-120 gsm (Cassette) 76x127 mm - 216x356 mm, 60-216 gsm (Bypass)

1x 250 sheets (Cassette), 1x 100 sheets (Bypass) **Paper Capacity**

Maximum 900 sheets

Inner Output Tray 150-sheet capacity **Automatic Duplex** A4/custom, 60-90 gsm **Control Panel** 2 line OLED display

Standard: 512 MB, Maximum: 512 MB Memory

Interface 10Base-T/100Base-TX/1000Base-T (incl. IPv6),

High Speed USB 2.0

Dimensions & Weight 399 x 374 x 260 mm (W x D x H), \sim 14 kg Starter cartridge with Toner and Imaging unit Starter Kit

Print

Resolution Maximum 1,200 x 1,200 dpi

First Print Output Time Approx. 6 seconds

PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation, Page Description

Language

Supported Systems Windows 10/8/8.1/7, Windows Server 2016/ Server

2012/Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64bit), Mac OS X 10.6-10.11,

Linux/Unix, Novell NetWare, Citrix, SAP

Mobile Printing AirPrint, Mopria Print Service, Google Cloud Print

Universal Printer Driver, Multiple pages per sheet, **Print Functions**

Envelope printing

System & Security

System Features Energy saving modes, Automatic toner saturation/

darkness adjustment

Accounting & Security Private print, IP address filter, Port filter,

Support of SNMPv3, Operator Panel Lock

Options

250-sheet Drawer 250-sheet capacity, A5-A4, 60-120 gsm

550-sheet capacity, 550-sheet Drawer A5-A4, 60-120 gsm

Swivel Cabinet

Adjustable Printer Stand User Flash Memory Forms and Barcode Card





e-STUDIO408p standard configuration



e-STI IDID408_P w/ 550-sheet Drawer



e-STUDIO478p w/ 2x 550-sheet Drawer



e-STUDIO478p w/ 3x 550-sheet Drawer

SPECIFICATIONS

e-STUDIO478p

General

Paper Capacity

Print Speed 47 ppm

Warm-up Time Approx. 9 seconds (from sleep mode)

Paper Size & Weight A6-A4/custom, 60-120 gsm (Cassette)

76x127 mm - 216x356 mm, 60-216 gsm (Bypass)

1x 550 sheets (Cassette), 1x 100 sheets (Bypass) Maximum 2.300 sheets

 Inner Output Tray
 250-sheet capacity

 Automatic Duplex
 A4/custom, 60-90 gsm

 Control Panel
 6 cm (2.4") Colour LCD panel

Memory Standard: 512 MB, Maximum: 512 MB

 Interface
 10Base-T/100Base-TX/1000Base-T (incl. IPv6),

 High Speed USB 2.0, WLAN¹¹ (IEEE802.11 ac/a/b/g/n

2x2 MIMO Wireless)

 $\textbf{Dimensions \& Weight} \hspace{1.5cm} 399 \times 374 \times 303 \text{ mm (W x D x H),} \sim 15.8 \text{ kg}$

Starter Kit Starter cartridge with Toner and Imaging unit

Print

Resolution Maximum 1,200 x 1,200 dpi

First Print Output Time Approx. 6 seconds

Page Description PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation,

Language XPS, PPDS

Supported Systems Windows 10/8/8.1/7, Windows Server 2016/ Server

2012/Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64bit), Mac OS X 10.6-10.11,

Linux/Unix, Novell NetWare, Citrix, SAP

Mobile Printing AirPrint, Mopria Print Service, Google Cloud Print

Print Functions Universal Printer Driver, Multiple pages per sheet,

Envelope printing

System & Security

System Features Energy saving modes, Automatic toner saturation/ darkness adjustment

darkness adjustmen

Accounting & Security Private print, IP address filter, Port filter, Support of SNMPv3, SSL and IPsec protocols,

802.1x authentication¹⁾, Operator Panel Lock

A5-A4, 60-120 gsm

Options

250-sheet Drawer 250-sheet capacity,

A5-A4, 60-120 gsm 550-sheet Drawer 550-sheet capacity,

Swivel Cabinet

Adjustable Printer Stand User Flash Memory Wireless LAN Module Forms and Barcode Card PRESCRIBE Card

IPDS Card



1) Optional

www.toshibatec.ch